


Get it all.

# Galion™ Up



#legrandImprovingLives

 **legrand**®



I prefer minimalist design


I always look for the latest technologies

You just want simplicity and comfort

## Contents

### WIRING DEVICES

- 3-4 Colours
- 5-6 Design
- 7-8 Installation
- 9-14 Wiring Solutions
- 16-23 Wiring Devices Range



You love touches of personality

# Galion™ Up

Get it all.

Why hesitating when you can get it all?

With **Galion™ Up**, there's no need to compromise. Every detail is designed to give you the best of everything - thoughtfully, seamlessly, and effortlessly. The choice is simple.

# Minimalist Design or Touch of Personality?

Get it all with Galion™ Up.

Whether you're into sleek, minimalist interiors or love adding a personal touch, Galion™ Up adapts to your style. Its modern design and versatile options make it easy to create a look that's truly yours.

The ultimate symbol of luxurious sophistication



Matt Black

You like natural colors and sleek design

Small details make the difference to me

Matt White



Champagne




Dark Silver


# Thinner or Clever Design?

Get it all with Galion™ Up.

Sleek and ultra-thin, Galion™ Up looks refined in any space. But it's more than style — the seamless lid keeps out dust and opens smoothly for easy maintenance. Smart, clean, and built for real life.



Frameless Design  
Full Rocker



1.8° Minimal  
Angle



Smooth  
Matt texture

### **Seamless Design and Elegant Look**

The switch aligns perfectly with the wall in the off position, creating a smooth, unified appearance.



Exclusive silver signature for Matt White, Dark Silver, and Champagne.



total look: full black finish

### **Exclusive Matt Black finish**

Smooth matt texture  
Fingerprint-proof

# Quick and Easy or Strong and Robust?

Get it all with Galion™ Up.

Simple and  
durable, for my  
peace of mind!




#### Ordering Made Simple

1 catalogue number =  
1 complete product




### Easy Installation

The saddle-shaped terminal can fix up to 3 x 4 mm<sup>2</sup> wires.



### Designed for Strength

The honeycomb structure complements the fibreglass reinforced polycarbonate material for guaranteed robustness and durability.



### Perfect Conductivity

The precise ratio of phosphor bronze and silver-nickel alloy ensures conductivity and elasticity at all times.



### Made Safe

High-quality fire-resistant PC material and fibreglass nylon-encased shutters ensure safe operation under all conditions.



# Private Corners or Shared Spaces?

Get it all with Galion™ Up.

**Galion™ Up** offers a complete range of solutions — designed for you, and for everyone around. Whether you're looking for comfort, or versatile functions, there's one perfect choice.

**Universal dimmer suitable for all modern loads**



Rotary dimmer



Dimmable LEDs




Dimmable compact fluorescent lamps



Incandescent and halogen lamps



Halogen with electronic or ferromagnetic transformer



From 1-gang switch



Up to 4-gang switch



I love  
it bright

You prefer  
a warm  
atmosphere



You want fast charging

I enjoy versatile workstations

**1-gang British standard socket with USB charger Type-C & Type-C fast charge feature (Power delivery) 24W**



Fast-charging power delivery to reduce charging time



Optimum voltage supply to ensure no overcharging



Cuts off power delivery upon full charge for more efficient energy consumption



Maximises battery lifespan and user safety



2-gang British standard socket with USB charger Type-A & Type-C fast charge feature (Power delivery) 27W



1-gang Multistandard switched socket outlet

**Stay connected  
for uninterrupted  
enjoyment**



Multi data socket:  
TV and RJ45 Cat.6 UTP socket



TV-R-SAT socket



Double RJ 45 Cat. 6 UTP socket

**More Functions**

For complex projects that calls for added functions, **Galion™ Up** works seamlessly with the Arteor adapter to offer more.



USB charger Type-C 45W

Adapter for 2-module Arteor mechanism




I want a fully connected TV

## CATALOGUE NUMBERS

# New and easier

Galion™ Up reference codification introduces meaning for more clarity and more intuitive usage.



## Cat. Numbers logic

**FINISH CODIFICATION**

<p><b>CH</b> = Champagne</p>  <p>GA21001<b>CH</b></p>	<p><b>DS</b> = Dark Silver</p>  <p>GA21001<b>DS</b></p>
<p><b>MB</b> = Matt Black</p>  <p>GA21001<b>MB</b></p>	<p><b>MW</b> = Matt White</p>  <p>GA21001<b>MW</b></p>

# Galion™ Up

single pole switches



GA21001MB



GA22017MW



GA21002CH



GA21004DS

Conform to IEC 60669-1 standard  
 Material: Polycarbonate front cover plates  
 Dimensions: 86 x 87.2 mm  
 Supplied with 2 screws M 3.5 for BS boxes. Supplied as complete product with protective film

Pack	Cat.Nos	Single pole switches - 16 AX - 250 V~	Pack	Cat.Nos	Single pole illuminated switches 16 AX - 250 V~
10	GA21001CH	<b>1-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA21005CH	With white LED <b>1-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA21001DS		10	GA21005DS	
10	GA21001MB		10	GA21005MB	
10	GA21001MW		10	GA21005MW	
10	GA22017CH	<b>1-gang 2-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA22021CH	<b>1-gang 2-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA22017DS		10	GA22021DS	
10	GA22017MB		10	GA22021MB	
10	GA22017MW		10	GA22021MW	
10	GA21062CH	<b>1-gang - intermediate</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA21063CH	<b>1-gang - intermediate</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA21062DS		10	GA21063DS	
10	GA21062MB		10	GA21063MB	
10	GA21062MW		10	GA21063MW	
10	GA21002CH	<b>2-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA21006CH	<b>2-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA21002DS		10	GA21006DS	
10	GA21002MB		10	GA21006MB	
10	GA21002MW		10	GA21006MW	
10	GA22018CH	<b>2-gang 2-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA22022CH	<b>2-gang 2-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA22018DS		10	GA22022DS	
10	GA22018MB		10	GA22022MB	
10	GA22018MW		10	GA22022MW	
10	GA21003CH	<b>3-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA21007CH	<b>3-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA21003DS		10	GA21007DS	
10	GA21003MB		10	GA21007MB	
10	GA21003MW		10	GA21007MW	
10	GA22019CH	<b>3-gang 2-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA22023CH	<b>3-gang 2-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA22019DS		10	GA22023DS	
10	GA22019MB		10	GA22023MB	
10	GA22019MW		10	GA22023MW	
10	GA21004CH	<b>4-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
10	GA21004DS				
10	GA21004MB				
10	GA21004MW				
10	GA22020CH	<b>4-gang 2-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
10	GA22020DS				
10	GA22020MB				
10	GA22020MW				

# Galion™ Up

double pole switches and cooker control units



GA21001CH



GA22025DS



GA21011MB



GA73041MW

Conform to IEC 60669-1 standard

Material: Polycarbonate front cover plates

Dimensions: 86 x 87.2 mm

Supplied with 2 screws M 3.5 for BS boxes. Supplied as complete product with protective film

Pack	Cat.Nos	Double pole switches 20 A - 250 V~	Pack	Cat.Nos	Double pole switches 32 A - 250 V~
10 10 10 10	GA21015CH GA21015DS GA21015MB GA21015MW	With red LED indicator <b>1-gang 1-way</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	5 5 5 5	GA21011CH GA21011DS GA21011MB GA21011MW	With red LED indicator <b>1-gang 1-way - with 2 earth link connector</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10 10 10 10	GA21009CH GA21009DS GA21009MB GA21009MW	<b>1-gang 1-way - with earth link connector</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	5 5 5 5	GA21012CH GA21012DS GA21012MB GA21012MW	With red LED indicator <b>Double pole switches 45 A - 250 V~</b> <b>1-gang 1-way - with 2 earth link connector</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10 10 10 10	GA21014CH GA21014DS GA21014MB GA21014MW	<b>1-gang 1-way - with 2 earth link connector</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	5 5 5 5	GA73041CH GA73041DS GA73041MB GA73041MW	<b>Cooker control units 45 A - 250 V~</b> Conform to IEC 60884-1 and IEC 60884-2-3 double pole switch + 13 A British Standard switched socket and red LED indicators With 2 earth link connector Dimensions: 146 x 87.2 mm <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10 10 10 10	GA21010CH GA21010DS GA21010MB GA21010MW	<b>1-gang 1-way - with "water heater" marking - with earth link connector</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
10 10 10 10	GA22025CH GA22025DS GA22025MB GA22025MW	<b>1-gang 2-way - with "water heater" marking - with earth link connector</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
10 10 10 10	GA21016CH GA21016DS GA21016MB GA21016MW	<b>2-gang 1-way - with 2 earth link connector</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			

# Galion™ Up

push-buttons, dimmers, active power bleeder, fan controls, and thermostat



GA23084CH



GA24046DS

Material: Polycarbonate front cover plates

Dimensions: 86 x 87.2 mm

Supplied with 2 screws M 3.5 for BS boxes. Supplied as complete product with protective film

## Push-buttons 10 A - 250 V~

Pack	Cat.Nos	
10	GA23084CH	<b>1-gang - with "bell" marking</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA23084DS	
10	GA23084MB	
10	GA23084MW	
10	GA23076CH	<b>1-gang</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA23076DS	
10	GA23076MB	
10	GA23076MW	
10	GA23077CH	<b>2-gang</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA23077DS	
10	GA23077MB	
10	GA23077MW	
10	GA23078CH	<b>3-gang</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA23078DS	
10	GA23078MB	
10	GA23078MW	
10	GA23079CH	<b>4-gang</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA23079DS	
10	GA23079MB	
10	GA23079MW	

## Emergency push-buttons

1	GA23075CH	<b>1 A resistive - 250 VA</b> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA23075DS	
1	GA23075MB	
1	GA23075MW	

## Dimmers

Pack	Cat.Nos	
1	GA24046CH	<b>500 W rotary dimmer without neutral</b> Conform to IEC 60669-1 and IEC 60669-2-1 - Incandescent and halogen lamps 230 VA: 40 W to 500 W - ELV halogen lamps with ferromagnetic transformer: 40 VA to 200 VA Use compensator Cat.No 0 401 49 Standby consumption: 0 W <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA24046DS	
1	GA24046MB	
1	GA24046MW	
1	GA24047CH	<b>300 W rotary dimmer without neutral</b> Conform to IEC 60669-1 and IEC 60669-2-1 - Dimmable LEDs: 5 W to 75 W (Leading); 5 W to 200 W (Trailing) - Incandescent and halogen lamps 230 VA: 5 W to 300 W - Dimmable compact fluorescent lamps: 5 W to 75 W - Halogen lamps with ferromagnetic or electronic transformer: 5 VA to 300 VA - Fluorescent tube with integrated electronic ballast: 5 VA to 300 VA Standby consumption: 0.15 W <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA24047DS	
1	GA24047MB	
1	GA24047MW	
1	GA66049CH	<b>5-speed fan controls</b> Conform to IEC 60669-1 and IEC 60669-2-1 100 W for fan with overall diameter 48" <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA66049DS	
1	GA66049MB	
1	GA66049MW	

# Galion™ Up

British standard socket outlet



GA33137CH



GA32102DS



GA32099MB












GA32099MW

Material: Polycarbonate front cover plates

Dimensions: 86 x 87.2 mm (1-gang) / 146 x 87.2 mm (2-gang)

Supplied with 2 screws M 3.5 for BS boxes. Supplied as complete product with protective film. All sockets integrate child protection

Pack	Cat.Nos	British Standard socket outlets 13 A - 250 V~	Pack	Cat.Nos	British Standard socket outlets 15 A 250 V~
10	GA32098CH	<b>1-gang single pole - switched</b> Conform to BS 1363-2  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10	GA32102CH	<b>1-gang single pole - switched</b> Conform to BS 546  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA32098DS		10	GA32102DS	
10	GA32098MB		10	GA32102MB	
10	GA32098MW		10	GA32102MW	
10	GA32099CH	<b>1-gang single pole - switched - with LED power indicator</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	10		
10	GA32099DS				
10	GA32099MB				
10	GA32099MW				
5	GA32100CH	<b>2-gang single pole - switched</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
5	GA32100DS				
5	GA32100MB				
5	GA32100MW				
5	GA32101CH	<b>2-gang single pole - switched - with LED power indicator</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
5	GA32101DS				
5	GA32101MB				
5	GA32101MW				
1	GA33132CH	<b>British Standard socket outlets 13 A 250 V~ - with USB chargers</b> Conform to BS 1363-2 and IEC 62368-1 Consumption in passive mode < 0.08 W Fast charge feature: Power Delivery <b>1-gang single pole - switched, with USB chargers Type-A and Type-C - 20 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
1	GA33132DS				
1	GA33132MB				
1	GA33132MW				
1	GA33134CH	<b>1-gang single pole - switched, with USB chargers Type-C and Type-C - 24 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
1	GA33134DS				
1	GA33134MB				
1	GA33134MW				
1	GA33137CH	AVAILABLE IN <b>NOVEMBER 2025</b> <b>2-gang single pole - switched, with USB chargers Type-C and Type-C - 36 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
1	GA33137DS				
1	GA33137MB				
1	GA33137MW				
1	GA33033CH	<b>2-gang single pole - switched, with USB chargers Type-A and Type-C - 27 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>			
1	GA33033DS				
1	GA33033MB				
1	GA33033MW				

# Galion™ Up

multistandard socket outlet and cable outlet



GA32099MW



GA35040DS



GA33065MB









GA35039MW



Material: Polycarbonate front cover plates

Dimensions: 86 x 87.2 mm (1-gang) / 146 x 87.2 mm (2-gang)

Supplied with 2 screws M 3.5 for BS boxes. Supplied as complete product with protective film. All sockets integrate child protection

Pack	Cat.Nos	Multistandard switched socket outlets 16 A - 250 V $\sim$ / 15 A - 127 V
10	GA32103CH	<b>1-gang 2P+E</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA32103DS	
10	GA32103MB	
10	GA32103MW	
5	GA32104CH	<b>2-gang 2P+E</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
5	GA32104DS	
5	GA32104MB	
5	GA32104MW	

Pack	Cat.Nos	Multistandard switched socket outlets 16 A - 250 V $\sim$ - with USB chargers
1	GA33129CH	<b>1-gang 2P+E, with USB chargers Type-A and Type-C - 20 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA33129DS	
1	GA33129MB	
1	GA33129MW	
1	GA33130CH	<b>1-gang 2P+E, with USB chargers Type-C and Type-C - 24 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA33130DS	
1	GA33130MB	
1	GA33130MW	
1	GA33065CH	<b>2-gang 2P+E, with USB chargers Type-A and Type-C - 27 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA33065DS	
1	GA33065MB	
1	GA33065MW	
1	GA33139CH	<b>2-gang 2P+E, with USB chargers Type-C and Type-C - 36 W</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
1	GA33139DS	
1	GA33139MB	
1	GA33139MW	

Pack	Cat.Nos	Cable outlets
5	GA35040CH	<b>1-gang - 45 A</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
5	GA35040DS	
5	GA35040MB	
5	GA35040MW	
10	GA35039CH	<b>1-gang - 20 A</b>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA35039DS	
10	GA35039MB	
10	GA35039MW	



GA41113CH



GA41112DS



GA49070MB






GA43044MW






Material: Polycarbonate front cover plates

Dimensions: 86 x 87.2 mm

Supplied with 2 screws M 3.5 for BS boxes. Supplied as complete product with protective film

Pack	Cat.Nos	Single television sockets
10	GA41111CH	<p>For DVBT, cable cast and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø 9.5 mm) R: female connector (Ø 9.5mm) SAT: "F" type connector Recommended coaxial cable 17 VATC</p> <p><b>Female TV socket, star attenuation &lt; 1 dB</b> TV: 0-2400 MHz installation recommended in flush-mounting box depth 40 mm</p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA41111DS	
10	GA41111MB	
10	GA41111MW	
10	GA41112CH	<p><b>TV sockets "F" type with screws, star attenuation &lt; 1 dB</b> SAT: 0 - 2400 MHz</p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA41112DS	
10	GA41112MB	
10	GA41112MW	

Pack	Cat.Nos	Multiple entries television sockets
10	GA41113CH	<p>For DVBT, cable cast and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø 9.5mm) R: female connector (Ø 9.5mm) SAT: "F" type connector Recommended coaxial cable 17 VATC</p> <p><b>TV-R-SAT sockets - star attenuation &lt; 1.5 dB</b> TV: 5-68/120-862 MHz R: 87.5-108MHz FM / 174-223MHz DAB+ SAT: 550-2400 MHz Installation recommended in flush-mounting box depth 40 mm</p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA41113DS	
10	GA41113MB	
10	GA41113MT	

Pack	Cat.Nos	Telephone sockets
10	GA32108CH	<p><b>RJ 11 socket - 4 contacts</b> 1/4 turn, tool-less connector</p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA32108DS	
10	GA32108MB	
10	GA32108MW	
10	GA32109CH	<p><b>Double RJ 11 socket - 4 contacts</b> 1/4 turn, tool-less connector</p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA32109DS	
10	GA32109MB	
10	GA32109MW	
10	GA43042CH	<p><b>Data sockets</b> Conform to ISO / IEC 11801 and TIA / EIA 568.2-D</p> <p><b>RJ 45 cat. 6 UTP</b></p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA43042DS	
10	GA43042MB	
10	GA43042MW	
10	GA43044CH	<p><b>Double RJ 45 cat. 6 UTP</b></p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA43044DS	
10	GA43044MB	
10	GA43044MW	
10	GA49070CH	<p><b>Multi data sockets</b></p> <p><b>Single TV socket "F" type with screws, star attenuation &lt; 1 dB + RJ 45 cat. 6 UTP</b></p>  <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10	GA49070DS	
10	GA49070MB	
10	GA49070MW	

# Galion™ Up

hotel equipment



GA27056CH



GA36085DS



GA27058MB



GA27048MB




GA36085MW

Conform to IEC 60669-1 standard  
 Material: Polycarbonate front cover plates  
 Dimensions: 86 x 87.2 mm  
 Supplied with 2 screws M 3.5 for BS boxes. Supplied as complete product with protective film

Pack	Cat.Nos	Do Not Disturb / Make Up Room Hotel Functions	Pack	Cat.Nos	RFID key card switches
1	GA27059CH	<p>Enable the resident to inform hotel staff of the room status            Two settings are possible:            - do not disturb (DND)            - please make-up the room (MUR)  <b>External DND/MUR push button - 12 V</b>            Installed in the corridor            Double fonction: call indicator and bell button            Supplied with LED            1-gang, black touch plate</p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p> <p><b>External DND/MUR push button - 230 V</b>            Installed in the corridor            Double fonction: call indicator and bell button            Supplied with LED            1-gang, black touch plate</p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p>	1	GA27060CH	<p>Compatible with ISO key cards (13.56 MHz)            For energizing a circuit.            Time-delay ~30 sec. after card removal            Lighting of the slot by LED            Dimensions: 86 x 87.2 mm</p> <p><b>12 V~</b></p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p> <p><b>230 V~</b></p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p>
1	GA27059DS		1	GA27060DS	
1	GA27059MB		1	GA27060MB	
1	GA27059MW		1	GA27060MW	
1	GA27058CH	<p><b>2-gang internal DND/MUR switch 12V</b>            Installed in the guest room            Allow the user to select the desired setting            Supplied with LED</p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p> <p><b>2-gang internal DND/MUR switch 230 V</b>            Installed in the guest room            Allow the user to select the desired setting            Supplied with LED</p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p>	1	GA27061CH	<p><b>Mechanical key card switches - 230 V~</b></p> <p>Supplied with one card</p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p>
1	GA27058DS		1	GA27061DS	
1	GA27058MB		1	GA27061MB	
1	GA27058MW		1	GA27061MW	
5	GA27057CH	<p><b>Shaver sockets</b></p> <p>Conform to IEC 61558-2-5            115/230 V - 20 VA - 50/60 Hz            Power supply: 230 V~ - 50/60 Hz            Suitable for use with European, British, Australian, Chinese and US 2-pin plugs            For flush-mounting boxes, use BS 1-gang box depth 48 mm, Dim: 86 x 87.2 mm            2 outputs, 1-gang</p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p>	1	GA36085CH	<p><b>Key card</b></p> <p><b>For RFID key card switches</b></p> <p>MIFARE contactless badge card            ISO format (50 x 80 mm)            Chip: 13.56 MHz            Standard 1 KB memory</p>
5	GA27057DS		1	GA36085DS	
5	GA27057MB		1	GA36085MB	
5	GA27057MW		1	GA36085MW	
10	GA27056CH	<p><b>HVAC fan coil unit (FCU) thermostat</b></p> <p>Control an Air Conditioning System            Power supply: 250V~ 50/60Hz            Adjustable temperature from 5°C to 35°C            Temperature accuracy: +/- 1°C            Load type: magnetic valve/motor operated valve with 1A capacity            Temperature sensor: internal NTC</p> <p>● Champagne            ● Dark Silver            ● Matt Black            ○ Matt White</p>	10	0 767 11	
10	GA27056DS				
10	GA27056MB				
10	GA27056MW				



GA15031MW



GA14053MB



GA17026CH

Pack	Cat.Nos	Blanking plates
15 15 15 15	GA15031CH GA15031DS GA15031MB GA15031MW	<p>Supplied as complete product with protective film</p> <p><b>1-gang</b> Dimensions: 86 x 87.2 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
5 5 5 5	GA15032CH GA15032DS GA15032MB GA15032MW	<p><b>2-gang</b> Dimensions: 146 x 86 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10 10 10 10	GA14052CH GA14052DS GA14052MB GA14052MW	<p><b>2-gang</b> Dimensions: 172 x 86 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
5 5 5 5	GA14053CH GA14053DS GA14053MB GA14053MW	<p><b>3-gang</b> Dimensions: 258 x 86 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
5 5 5 5	GA14054CH GA14054DS GA14054MB GA14054MW	<p><b>4-gang</b> Dimensions: 344 x 86 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
5 5 5 5	GA14140CH GA14140DS GA14140MB GA14140MW	<p><b>5-gang</b> Dimensions: 430 x 86 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>

Pack	Cat.Nos	Arteor adaptors
15 15 15 15	GA17026CH GA17026DS GA17026MB GA17026MW	<p>Allow the integration of 2-module Arteor mechanisms such as reading lights, USB chargers, etc.</p> <p><b>1-gang - 2 modules</b> Dimensions: 86 x 87.2 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>
10 10 10 10	GA17027CH GA17027DS GA17027MB GA17027MW	<p><b>2-gang - 2 modules</b> Dimensions: 146 x 87.2 mm</p> <ul style="list-style-type: none"> <li>● Champagne</li> <li>● Dark Silver</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>









FOLLOW US  
ALSO ON

→ [www.legrand.com.my](http://www.legrand.com.my)

 [youtube.com/user/legrand](https://youtube.com/user/legrand)

 [linkedin.com/company/10526151](https://linkedin.com/company/10526151)

 [fb.com/LegrandMalaysia](https://fb.com/LegrandMalaysia)



**Legrand Group Brands (M) Sdn. Bhd.** (544761-T)  
Lot 1888, Jalan KPB 7,  
Kawasan Perindustrian Balakong,  
Bukit Belimbing, 43300 Seri Kembangan,  
Selangor Darul Ehsan, Malaysia.

Tel : +60 (3) 8962 3333

Fax: +60 (3) 8962 2211

Email: [enquiries.malaysia@legrand.com](mailto:enquiries.malaysia@legrand.com)