

Product datasheet

Specifications



Mechanical Door Chime, Accessories, with transformer

CCT99AC

Main

Range	Enexx
product or component type	Door Chime
Device application	Doorbell
device presentation	Complete device
Colour	White
Type of packing	Box

Complementary

[Ue] rated operational voltage	220...240 V AC
Supply	0 main transformer
Network type	AC
device mounting	Surface
number of modules	1
Length	170.3 mm
wiring mode	2 wires
Acoustic level	> 80 dB
Fixing mode	By 4 screws

Environment

Height	51 mm
Width	105.3 mm
Connections - terminals	Screwless terminals

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	17.8 cm
Package 1 Length	11 cm
Package 1 Weight	646.6 g
Unit Type of Package 2	S03
Number of Units in Package 2	20

Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	13.742 kg
Unit Type of Package 3	P12
Number of Units in Package 3	480
Package 3 Height	105 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	340.808 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations