FSL

LIGHT UP THE WORLD

Suruhanjaya Tenaga
Energy Commission

SIRIM

LED SLIM DOWNLIGHT BACKLIT

FSP503

New circuit design
No risk of leakage

High quality
diffuser plate
No flash

Broaden border design
Suitable for
larger cut-out

FSL

Thickness of metal case⩾0.5mm
Matte powder spraying
Thick texture, Ceiling white

Smooth and simple arc design

Better fit on the ceiling

FSL

FSL Exterior Modeling Patent

Unique Design

Mechanical spring that can be fitted both sides

Suitable for ceiling with different levels of thickness

FSL

Suruhanjaya Tenaga
Energy Commission

SIRIM

Features

*Exclusive appearance design, curved surface.
*Spring buckle in imported material, random adjustment.
*High brightness LED chips, stable performance, uniform light.
*Built-in driver design with Constant current power , Ultra-wide voltage, suitable for different area.

Applications

Ideal for shopping mall, office building, corridor, hotel, museum etc.

Code	Voltage	Power	CCT	Lumen	CRI	Cut-out	Size	Beam angle	Life
FSP503-3W	AC100-265V	3W	6500K	240lm	≥80	Ø75mm	Ø92x26mm	110°	25000hrs
FSP503-6W	AC100-265V	6W	6500K	480lm	≥80	Ø75mm	Ø92x26mm	110°	25000hrs
FSP503-9W	AC100-265V	9W	6500K	720lm	≥80	Ø95mm	Ø120x27mm	110°	25000hrs
FSP503-12W	AC100-265V	12W	6500K	960lm	≥80	Ø120mm	Ø145x28mm	110°	25000hrs
FSP503-18W	AC100-265V	18W	6500K	1440lm	≥80	Ø155mm	Ø182x30mm	110°	25000hrs
FSP503-24W	AC100-265V	24W	6500K	1920lm	≥80	Ø205mm	Ø240x32mm	110°	25000hrs

Photometric Data



9W



12W

FOSHAN ELECTRICAL AND LIGHTING CO.,LTD.

Add: 64 North Fenjiang Road, Foshan, China
fslglobal@chinafsl.com
FSL lighting global
www.chinafsl.com/en/